

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.

November 22, 2014

Attention: Paul Deschamps
FLOW MANAGEMENT DEVICES LLC
5225 SOUTH 37 STREET SUITE 4
PHOENIX, AZ

The design submission, tracking number 2014-02647, originally received on March 28, 2014 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: November 22, 2014

Reg Type: Addition to Acc. Fitting

Expiry Date: July 26, 2020

Drawing No. : 000-108808-DOC SHT 1 TO 8 Rev A

Fitting type: FLOW TUBE MODELS 001, 003, & 007

The registration is conditional on your compliance with the following notes:


Addition of models FMD-001, 003, & 007

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.



505 - 6th Street, Suite 200
New Westminster, BC V3L 0E1

Toll Free: 1-866-566-SAFE
Fax: (778) 396 - 2064
www.safetyauthority.ca

ALBERTA BOILERS SAFETY ASSOCIATION
9410 20 AVENUE NW
EDMONTON AB T6N 0A4

Date: October 1, 2010
Account #: 34986
Journal #: 49967
Our File #: 4490616

Attn: CYNTHIA FORMANIUK

Re: Application for Design Registration

The design, as detailed in your, ABSA Tracking No. 2009-06205, for a Fitting is accepted for registration as follows:

Registered To: FLOW MANAGEMENT DEVICES **CRN:** 0F10762.21

Drawing #: 000-101491-DOC

Drawing Revision: A

Conditions Of Registration:

Flow tube for model FMD-015, -025, -035, -A35, -060, -090, -130, & -200 unidirectional captive displacement provers. This registration expires on July 26, 2020.

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.



STATUTORY DECLARATION
Registration of Fittings



I, ALEX IGNATIEN,
MANAGING DIRECTOR-MEMBER

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of FLOW MANAGEMENT DEVICES, LLC.

(name of manufacturer)

located at 5225 S. 37th ST. Suite 4, Phoenix, AZ 85040

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B31.1 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, GREAT WESTERN REGISTRAR as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

003,007,015,035,A35,060,090,130,200

In support of this application, the following information, calculations and/or test data are attached:

FLOW MANAGEMENT DEVICES, LLC. FLOW PROVER DESIGN CALCULATIONS PN: 000-101491-DOC

DECLARED before me at PHOENIX in the ARIZONA of USA

this 29 day of January, 2010
(Month) (Year)

(print) DESIRAE JACQUEZ

(sign) Desirae Jacquez
(A Commissioner for Oaths)



[Signature]
(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category F

Registration Number: OF 10762.24

Ryan Johnson
(For the Administrator/Chief Inspector of Alberta)

Date Registered: Nov 8, 2010

Expiry Date: July 26, 2020

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.

NEW BRUNSWICK
 NOVA SCOTIA
 PRINCE EDWARD ISLAND
 NEWFOUNDLAND AND LABRADOR
 MANUVUT
 YUKON
 NORTHWEST TERRITORIES


MANUFACTURERS NAME: Flow Management Devices
 MANUFACTURERS ADDRESS: 5225 S. 37th St.; Phoenix, AZ 85040
 PLANT LOCATIONS: 5225 S. 37th St.; Phoenix, AZ 85040

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.1

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
 000-101491-DOC

DECLARATION:
 I, Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Alex Ignatian
 This 29 day of Jan AD 2010
 Commissioner of Oaths or Notary Public: (sign) [Signature]



BRUNSWICK

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance

DEPT. OF PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY
 CRN: 0F10762.2
 FID#: 2769
 CRN: 0F10762.27
 EXAMINER: [Signature]
 for
 CHIEF BOILER INSPECTOR
 DATE: August 26, 2010

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BLF's P's
 Sect. 1.0 - Fittings Rev. 1 06/2003
 FITTINGS COMPONENTS

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,




RADISAVLJEVIC, ZANA, R.E.T.

NEW BRUNSWICK
 NUNAVUT

NOVA SCOTIA
 YUKON



PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: <u>Flow Management Devices</u>	
MANUFACTURERS ADDRESS: <u>5225 S. 37th St.; Phoenix, AZ 85040</u>	
PLANT LOCATIONS: <u>5225 S. 37th St.; Phoenix, AZ 85040</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.1
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: 000-101491-DOC	

DECLARATION:

I Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Alex Ignatian
 This 29 day of Jan AD 2010
 Commissioner of Oaths or Notary Public: (sign) 



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of issuance CRN: <u>0F10762.2</u> FID#: <u>2769</u>	GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services Registered <u>0F10762.20</u> Date <u>2010/8/27</u> GOVERNMENT SERVICES OF Nfld Engineering and Inspection Services Registered by <u></u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS Sect. 1.0 - Fittings Rev. T 06/2003
	Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.


AUG/27/2010/FRI 08:40 AM ACI CENTRAL

FAX No. 902-5663133

P. 005

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTINGS RESINS

- NEW BRUNSWICK
- NOVA SCOTIA
- PRINCE EDWARD ISLAND
- NEWFOUNDLAND AND LABRADOR
- NUNAVUT
- YUKON
- NORTHWEST TERRITORIES

MANUFACTURERS NAME: <u>Flow Management Devices</u>	
MANUFACTURERS ADDRESS: <u>5225 S. 37th St.; Phoenix, AZ 85040</u>	
PLANT LOCATIONS: <u>5225 S. 37th St.; Phoenix, AZ 85040</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, level, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.7</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>000-101491-DOC</u>	

DECLARATION:
 I, Alex Ignatian (see note 2) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Alex Ignatian
 This 29 day of Jan AD 2010
 Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: DF10762.2
 FID#: 2769

Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. DF10762.2T
 SIGNED [Signature]
 DATE Aug 27/10

\$ 150.00

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Sect. 1.0 - Fittings Rev. 1 06/2003

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 MANUVUT
 NOVA SCOTIA
 YUKON
 PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES
 NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Flow Management Devices
 MANUFACTURERS ADDRESS: 5225 S. 37th St.; Phoenix, AZ 85040
 PLANT LOCATIONS: 5225 S. 37th St.; Phoenix, AZ 85040

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 . (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.1

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
000-101491-DOC


DECLARATION:
 I, Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Alex Ignatian
 This 29 day of Jan AD 2010
 Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F10762.2
 FID#: 2769



C.R.N. 0F10762.28
 Dwg. as described
 Signed Yvonne Perry

- Notes:**
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Flow Management Devices
MANUFACTURERS ADDRESS: 5225 S. 37th St., Phoenix, AZ 85040
PLANT LOCATIONS: 5225 S. 37th St., Phoenix, AZ 85040

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3 . (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.1

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
000-101491-DOC

DECLARATION:

I, Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Alex Ignatian

This 29 day of Jan AD 2010

Commissioner of Oaths or Notary Public: (sign) [Signature]



NUNAVUT
Boilers and Pressure Vessels Act
REGISTERED
CRN OF 10762.2N
Date Sept 27, 2010
Signed [Signature]
Chief Inspector

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF10762.2

FID#: 2769

Notes:

- 1. All fittings shall be registered in the name of the Manufacturer.
- 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Territorial Registration Fee
\$ 75.00
2010
Sect. 1.0 - Fittings Rev. 1 06/2003

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.


An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

August 25, 2010

CYNTHIA FORMANIUK
ALBERTA BOILERS SAFETY ASSOCIATION
9410-20 AVENUE
EDMONTON AB T6N 0A4
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 438966
Your Reference No.: 2009-06205-CRN# 0F10762.2-FLOW TUBE

Dear CYNTHIA FORMANIUK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission on August 24, 2010 has been reviewed and registered as follows:

CRN No.: **0F10762.25**
Reference No.: 2009-06205-CRN# 0F10762.2-FLOW TUBE
Main Design No.: Models FMD-015 through FMD-200 per Doc. # 000-101491-DOC Flow Prover
PV Design Calculations
Expiry Date: July 26, 2020

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng.
Engineer BPV
Tel.: 416-734-3494
Fax: 416-231-6183
Email: mvalcic@tssa.org

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.



MUNICIPAL AFFAIRS



the pressure equipment safety authority

STATUTORY DECLARATION
Registration of Fittings



I, ALEXIGNATIAN,
MANAGING DIRECTOR-MEMBER

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of FLOW MANAGEMENT DEVICES, LLC.

(name of manufacturer)

located at 5225 S. 37th ST. Suite 4, Phoenix, AZ 85040

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B31.1 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, GREAT WESTERN REGISTRAR as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

003,007,015,035,A35,060,090,130,200

In support of this application, the following information, calculations and/or test data are attached:

FLOW MANAGEMENT DEVICES, LLC. FLOW PROVER DESIGN CALCULATIONS PN: 000-101491-DOC

DECLARED before me at PHOENIX in the ARIZONA of USA

this 29 day of January, 2010
(Month) (Year)

(print) DESIRAE JACQUEZ

(sign) Desirae Jacquez
(A Commissioner for Oaths)



[Signature]
(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category 'F'

Registration Number: OF 10762.25

Date Registered: Aug 25, 2010

(For the Administrator/Chief Inspector of Alberta)
Expiry Date: July 26, 2020

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTINGS

NEW BRUNSWICK
 NUNAVUT

NOVA SCOTIA
 YUKON

PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Flow Management Devices
 MANUFACTURERS ADDRESS: 5225 S. 37th St., Phoenix, AZ 85040
 PLANT LOCATIONS: 5225 S. 37th St., Phoenix, AZ 85040

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.1

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

000-101491-DOC

DECLARATION:

I Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Alex Ignatian*

Declared before me at Alex Ignatian

This 29 day of Jan AD 2010

Commissioner of Oaths or Notary Public: (sign) *Desirae Jacquez*



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

ACCEPTED

CRN: 0F10762.2

FID#: 2769

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND
DEPT. OF PROVINCIAL AFFAIRS

C.R.N. 0F10762.29

DATE: 22 Dec 2010

J.P.R.
 INSPECTION SERVICES DIVISION
 BOILER/PRESSURE VESSEL BRANCH

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.



the pressure equipment safety authority

STATUTORY DECLARATION
Registration of Fittings



I, ALEX IGNATIAN,

MANAGING DIRECTOR-MEMBER

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of FLOW MANAGEMENT DEVICES, LLC.

(name of manufacturer)

located at 5225 S. 37th ST. Suite 4, Phoenix, AZ 85040

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

[X] comply with the requirements of ASME B31.1 which specifies the dimensions, (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

[] are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, GREAT WESTERN REGISTRAR as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

003,007,015,035,A35,060,090,130,200

In support of this application, the following information, calculations and/or test data are attached:


FLOW MANAGEMENT DEVICES, LLC. FLOW PROVER DESIGN CALCULATIONS PN: 000-101491-DOC

DECLARED before me at PHOENIX in the ARIZONA of USA

this 29 day of January, 2010 (Month) (Year)

(print) DESIRAE JACQUEZ

(sign) [Signature] (A Commissioner for Oaths)



(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category F

Registration Number: OF10762.2

Date Registered: 11 Nov. 2010 *Note: See the attachment for the scope of the registration Expiry Date: July 26, 2020

CSA INTERNATIONAL

REGISTERED C.R.N.: OF10762.26*

Signed: [Signature]

Date: 11 Nov. 2010

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.

July 26, 2010

Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

Dear Alex Ignatian,

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN :	0F10762.2	Accepted on:	July 26, 2010
Reg Type :	New Design	Expiry Date:	July 26, 2020
Drawing No. :	DOC# 000-101491-DOC As Noted		
Fitting Desc:	FLOW TUBE		

The registration is conditional on your compliance with the following notes:

Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

Zana Radisavljevic

RADISAVLJEVIC, ZANA, R.E.T.
Design Surveyor



July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,




RADISAVLJEVIC, ZANA, R.E.T.



STATUTORY DECLARATION
Registration of Fittings

Technical Safety Authority
of Saskatchewan
Boiler & P.V. Safety Unit
CRN OE 10.762.23
File 8365
REGISTERED
Date 2/1/2011
Design Survey Office



I, ALEX IGNATIAN,
MANAGING DIRECTOR-MEMBER
(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)
of FLOW MANAGEMENT DEVICES, LLC.
(name of manufacturer)

located at 5225 S. 37th ST. Suite 4, Phoenix, AZ 85040
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B31.1 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, GREAT WESTERN REGISTRAR as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

003,007,015,035,A35,060,090,130,200

In support of this application, the following information, calculations and/or test data are attached:

FLOW MANAGEMENT DEVICES, LLC. FLOW PROVER DESIGN CALCULATIONS PN: 000-101491-DOC

DECLARED before me at PHOENIX in the ARIZONA of USA

this 29 day of January, 2010
(Month) (Year)

(print) DESIRAE JACQUEZ

(sign) Desirae Jacquez
(A Commissioner for Oaths)



Desirae Jacquez
(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category _____

Registration Number: _____

Date Registered: _____

(For the Administrator/Chief Inspector of Alberta)
Expiry Date: _____

July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
MANAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Flow Management Devices	
MANUFACTURERS ADDRESS: 5225 S. 37th St.; Phoenix, AZ 85040	
PLANT LOCATIONS: 5225 S. 37th St.; Phoenix, AZ 85040	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p><input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.1
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: 000-101491-DOC	

DECLARATION:

I, Alex Ignatian (see note 3) employed by Flow Management Devices and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TBD as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Alex Ignatian

Declared before me at Alex Ignatian

This 29 day of Jan AD 2010

Commissioner of Oaths or Notary Public: (sign) Desirae Jacquez



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F10762.2

FID#: 2769

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



July 26, 2010

Attention: Alex Ignatian
FLOW MANAGEMENT DEVICES
3418 W FLOWER STREET
PHOENIX, AZ

The design submission, tracking number 2009-06205, originally received on November 16, 2009 was surveyed and accepted for registration as follows:

CRN : 0F10762.2

Accepted on: July 26, 2010

Reg Type: New Design

Expiry Date: July 26, 2020

Drawing No. : DOC# 000-101491-DOC As Noted

Fitting type: FLOW TUBE

The registration is conditional on your compliance with the following notes:


Model #'s FMD-015, -025, -035, -A35, -060, -090, -130, & -200

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, R.E.T.