

Description of Services

ANSI Z87.1-20<u>10</u>

ANSI Z87.1-2010 Spectacles

This group of tests includes:

Optical Quality Luminous Transmission

Haze Spectacle Refractive Power, Astigmatism, Resolving Power,

Prism and Prism Imbalance for Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (Spectacle) Corrosion Resistance of Metal Components

Minimum Coverage Area Minimum Lens Thickness

Marking Requirements Marking Requirements (Spectacles)

Screen Windows and Screen Lenses Frames for Replaceable or Removable Lenses

Aftermarket Components Special Purpose Lenses

ANSI Z87.1-2010 High Impact Spectacles

This group of tests includes:

Optical Quality **Luminous Transmission**

Haze Refractive Power, Astigmatism, Resolving Power, Prism and

Prism Imbalance for Plano Protectors

Spectacle Refractive Power, Astigmatism, Resolving Power, Physical Requirements

Prism and Prism Imbalance for Plano Protectors

Drop Ball Impact Resistance

Corrosion Resistance of Metal Components

Minimum Lens Thickness

Marking Requirements (Complete Device)

Marking Requirements (Spectacles)

Aftermarket Components

Frames and Shells

High Mass Impact

Penetration Test (lenses only)

Spectacle frames intended for prescription (Lens Thickness)

removable lenses

Ignition (Spectacle)

Minimum Coverage Area

Marking Requirements

Marking Requirements (Replaceable Lenses)

Frames for Replaceable or Removable Lenses

Impact Rated Protectors

Lateral (Side) Coverage

High Velocity Impact (Spectacles)

Prescription Lens Carriers Behind Plano Protectors

Special Purpose Lenses

Printed: 09/11/2014 Page 1 of 24

ANSI Z87.1-2010

ANSI Z87.1-2010 Goggles - General Requirements

This group of tests includes:

Optical Quality Luminous Transmission

Haze Goggle Refractive Power, Astigmatism, Resolving Power, Prism

and Prism Imbalance for Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (Goggle) Corrosion Resistance of Metal Components

Minimum Coverage Area Minimum Lens Thickness

Marking Requirements (Complete Device)

Marking Requirements (Goggles)

Marking Requirements (Replaceable Lenses)

Goggles (Adjustable Ventilation)

Direct Ventilation Indirect Ventilation

Frames for Replaceable or Removable Lenses Replaceable Lenses - Goggles

Aftermarket Components

ANSI Z87.1-2010 Goggles - Screen Lens General Requirements

This group of tests includes:

Physical Requirements Drop Ball Impact Resistance

Ignition (Goggle) Corrosion Resistance of Metal Components

Minimum Coverage Area Marking Requirements

Marking Requirements (Goggles) Goggles (Adjustable Ventilation)

Direct Ventilation Indirect Ventilation

Screen Windows and Screen Lenses Replaceable Lenses - Goggles

Aftermarket Components

Printed: 09/11/2014 Page 2 of 24

ANSI Z87.1-2010

ANSI Z87.1-2010 High Impact Goggles

This group of tests includes:

Optical Quality Luminous Transmission

Haze Goggle Refractive Power, Astigmatism, Resolving Power, Prism

and Prism Imbalance for Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (Goggle) Corrosion Resistance of Metal Components

Minimum Coverage Area Minimum Lens Thickness

Marking Requirements (Complete Device)

Marking Requirements (Goggles)

Marking Requirements (Replaceable Lenses)

Goggles (Adjustable Ventilation)

Direct Ventilation Indirect Ventilation

Frames for Replaceable or Removable Lenses Replaceable Lenses - Goggles
Aftermarket Components Impact Rated Protectors

Lateral (Side) Coverage High Mass Impact

High Velocity Impact (Goggles)

High Velocity Impact (Spectacles)

Penetration Test (lenses only)

Devices with Lift Fronts

Prescription Lens Carriers Behind Plano Protectors Clear and Filter Lenses (W Filters)

Transmittance of Housings - Goggles Special Purpose Lenses

ANSI Z87.1-2010 Faceshields - General Requirements

This group of tests includes:

Optical Quality Luminous Transmission

Haze Faceshield Resolving Power, Prism and Prism Imbalance for

Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (Faceshield) Corrosion Resistance of Metal Components

Minimum Coverage Area Minimum Lens Thickness

Marking Requirements Marking Requirements (Faceshields)

Aftermarket Components Special Purpose Lenses

Printed: 09/11/2014 Page 3 of 24

ANSI Z87.1-2010

ANSI Z87.1-2010 Faceshields

This group of tests includes:

Luminous Transmission Optical Quality

Haze

Refractive Power, Astigmatism, Resolving Power, Prism and

Prism Imbalance for Plano Protectors

Drop Ball Impact Resistance

Ignition (Spectacle) Minimum Coverage Area Marking Requirements

Marking Requirements (Faceshields) Screen Windows and Screen Lenses

Aftermarket Components Lateral (Side) Coverage

High Velocity Impact (Faceshields)

Penetration Test (lenses only)

Special Purpose Lenses

Faceshield Resolving Power, Prism and Prism Imbalance for

Plano Protectors

Physical Requirements

Ignition (Faceshield)

Corrosion Resistance of Metal Components

Minimum Lens Thickness

Marking Requirements (Complete Device) Marking Requirements (Replaceable Lenses) Frames for Replaceable or Removable Lenses

Impact Rated Protectors

High Mass Impact

High Velocity Impact (Spectacles)

Devices with Lift Fronts

ANSI Z87.1-2010 Faceshields - Individual Tests

This group of tests includes:

Special Purpose Lenses

Optical Quality Luminous Transmission

Faceshield Resolving Power, Prism and Prism Imbalance for Haze

Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (Faceshield) Corrosion Resistance of Metal Components

Minimum Coverage Area Minimum Lens Thickness

Marking Requirements Marking Requirements (Faceshields)

Frames for Replaceable or Removable Lenses **Aftermarket Components**

Frames and Shells **Impact Rated Protectors** Lateral (Side) Coverage High Mass Impact

High Velocity Impact (Faceshields) Penetration Test (lenses only)

Devices with Lift Fronts Droplet and Splash Hazard - Faceshields

Printed: 09/11/2014 Page 4 of 24

ANSI Z87.1-2010

Prism Imbalance for Plano Protectors

ANSI Z87.1-2010 Individual Tests

This group of tests includes:

Optical Quality Luminous Transmission

Haze Goggle Refractive Power, Astigmatism, Resolving Power, Prism

and Prism Imbalance for Plano Protectors

Refractive Power, Astigmatism, Resolving Power, Prism and Spectacle Refractive Power, Astigmatism, Resolving Power,

Prism and Prism Imbalance for Plano Protectors

Drop Ball Impact Resistance Ignition (Spectacle)

Corrosion Resistance of Metal Components Minimum Coverage Area
Minimum Lens Thickness Marking Requirements

Marking Requirements (Complete Device)

Marking Requirements (Replaceable Lenses)

Direct Ventilation Indirect Ventilation

Welding Protectors - Transmittance of Non-Lens Areas Lateral (Side) Coverage

High Mass ImpactHigh Velocity Impact (Spectacles)High Velocity Impact (Welding Helmets)Penetration Test (lenses only)Prescription Lens Material QualificationOptional Transmittance Attributes

Clear and Filter Lenses (UV Filters)

Switching Index

Occlusion Variations in Luminous Transmittance
Transmittance of Housings - Goggles Droplet and Splash Hazard - Goggles

Droplet and Splash Hazard - Faceshields Dust Hazard

Fine Dust Hazard Special Purpose Lenses

ANSI Z87.1-2010 High Impact Prescription Lens Mounting Qualification

This group of tests includes:

Prescription Lens Mounting Qualification Spectacle frames intended for prescription (Lens Thickness)

removable lenses

ANSI Z87.1-2010 High Impact Prescription Lens Material Qualification

This group of tests includes:

Prescription Lens Material Qualification

ANSI Z87.1-2010 Optional Transmittance Attributes

This group of tests includes:

Optional Transmittance Attributes Clear and Filter Lenses (Visible Filters)
Clear and Filter Lenses (IR Filters)
Clear and Filter Lenses (UV Filters)

Clear and Filter Lenses (W Filters)

Visible Light Filters

Variations in Luminous Transmittance

Printed: 09/11/2014 Page 5 of 24

ANSI Z87.1-2010

ANSI Z87.1-2010 Static Welding Filter - Glass

This group of tests includes:

Refractive Power, Astigmatism, Resolving Power, Prism and **Optical Quality**

Prism Imbalance for Plano Protectors

Drop Ball Impact Resistance

Welding Lens Refractive Power, Astigmatism, Resolving Power,

Prism and Prism Imbalance for Plano Protectors

Ignition (Spectacle) Minimum Lens Thickness

Marking Requirements Marking Requirements (Welding Protectors)

Replaceable Lenses - Welding Helmets and Handshields Optional Transmittance Attributes

Clear and Filter Lenses (W Filters) Variations in Luminous Transmittance

ANSI Z87.1-2010 Automatic Darkening Welding Filters **Transmittance**

This group of tests includes:

Optional Transmittance Attributes Clear and Filter Lenses (W Filters)

Switching Index Automatic Darkening Welding Filter Lenses

Occlusion Variations in Luminous Transmittance

ANSI Z87.1-2010 Welding Helmet w/ ADF

This group of tests includes:

Optical Quality Haze

Welding Lens Refractive Power, Astigmatism, Resolving Power, Physical Requirements

Prism and Prism Imbalance for Plano Protectors

Drop Ball Impact Resistance Ignition (ADF)

Corrosion Resistance of Metal Components Ignition (Welding Helmet)

Minimum Coverage Area Marking Requirements

Marking Requirements (Complete Device) Marking Requirements (Replaceable Lenses)

Welding Protectors - Transmittance of Non-Lens Areas Welding Protectors - Light Tightness

Replaceable Lenses - Welding Helmets and Handshields Aftermarket Components

Impact Rated Protectors Frames and Shells Lateral (Side) Coverage High Mass Impact

High Velocity Impact (Welding Helmets) Penetration Test (lenses only)

Devices with Lift Fronts

Welding Helmets and Welding Faceshields Clear and Filter Lenses (W Filters) Automatic Darkening Welding Filter Lenses

Switching Index Occlusion

Variations in Luminous Transmittance

Printed: 09/11/2014 Page 6 of 24

ANSI Z87.1-2010

ANSI Z87.1-2010 Welding Helmet Shell Tests

This group of tests includes:

Physical Requirements Drop Ball Impact Resistance

Ignition (Welding Helmet)

Corrosion Resistance of Metal Components

Minimum Coverage Area

Marking Requirements (Replaceable Lenses)

Marking Requirements (Welding Protectors) Welding Protectors - Transmittance of Non-Lens Areas
Welding Protectors - Light Tightness Replaceable Lenses - Welding Helmets and Handshields

Aftermarket Components Impact Rated Protectors
Frames and Shells Lateral (Side) Coverage

High Mass Impact (Welding Helmets)

Penetration Test (lenses only)

Devices with Lift Fronts

ANSI Z87.1-2010 Welding Helmet - Hard Hat Mounting

This group of tests includes:

Welding Helmets and Welding Faceshields

High Velocity Impact (Welding Helmets)

Physical Requirements Drop Ball Impact Resistance
Ignition (Welding Helmet) Marking Requirements
Marking Requirements (Welding Protectors) Impact Rated Protectors

Lateral (Side) Coverage High Mass Impact

Devices with Lift Fronts Welding Helmets and Welding Faceshields

ANSI Z87.1-2010 Automatic Darkening Welding Filter Requirements

This group of tests includes:

Variations in Luminous Transmittance

Optical Quality Welding Lens Refractive Power, Astigmatism, Resolving Power,

Penetration Test (lenses only)

Prism and Prism Imbalance for Plano Protectors

Physical Requirements Drop Ball Impact Resistance

Ignition (ADF) Marking Requirements (Replaceable Lenses)

Marking Requirements (Welding Protectors)

Optional Transmittance Attributes

Clear and Filter Lenses (W Filters)

Automatic Darkening Welding Filter Lenses

Switching Index Occlusion

Printed: 09/11/2014 Page 7 of 24

ANSI Z89.1-2009 (Revised in 2014)

ANSI Z89.1-2009 Type I, Class C

This group of tests includes:

Instructions and Marking Instructions

Markings Flammability

Force Transmission Apex Penetration

Electrical Insulation (Class C)

ANSI Z89.1-2009 Type I, Class E

This group of tests includes:

Instructions and Marking Instructions
Markings Flammability
Force Transmission Apex Penetration

Electrical Insulation (Class C) Electrical Insulation Requirements Class E

ANSI Z89.1-2009 Type I, Class G

This group of tests includes:

Instructions and Marking Instructions
Markings Flammability
Force Transmission Apex Penetration

Electrical Insulation (Class C) Electrical Insulation Requirements Class G

ANSI Z89.1-2009 Type I Reverse Wearing

This group of tests includes:

Requirements for Optional Testing: Reverse Wearing (Type I)

ANSI Z89.1-2009 Type II, Class C

This group of tests includes:

Instructions and Marking Instructions
Markings Flammability
Force Transmission Apex Penetration

Electrical Insulation (Class C) Additional Requirements for Class II Helmets

Additional Type II Requirements: Impact Energy Attenuation

Additional Type II Requirements: Chin Strap

Additional Type II Requirements: Off-center Penetration

Printed: 09/11/2014 Page 8 of 24

ANSI Z89.1-2009 (Revised in 2014)

ANSI Z89.1-2009 Type II, Class E

This group of tests includes:

Instructions and Marking Instructions

Markings Flammability

Force Transmission Apex Penetration

Electrical Insulation (Class C) Electrical Insulation Requirements Class E

Additional Requirements for Class II Helmets Additional Type II Requirements: Impact Energy Attenuation

Additional Type II Requirements: Off-center Penetration Additional Type II Requirements: Chin Strap

ANSI Z89.1-2009 Type II, Class G

This group of tests includes:

Instructions and Marking Instructions

Markings Flammability

Force Transmission Apex Penetration

Electrical Insulation (Class C) Electrical Insulation Requirements Class G

Additional Requirements for Class II Helmets Additional Type II Requirements: Impact Energy Attenuation

Additional Type II Requirements: Off-center Penetration Additional Type II Requirements: Chin Strap

ANSI Z89.1-2009 Type II Reverse Wearing

This group of tests includes:

Requirements for Optional Testing: Reverse Wearing (Type I) Requirements for Optional Testing: Reverse Wearing (Type II)

ANSI Z89.1-2009 Electrical Insulation, Class E, Type I and II Helmets

This group of tests includes:

Force Transmission Electrical Insulation Requirements Class E

ANSI Z89.1-2009 Electrical Insulation, Class G, Type I and II helmets

This group of tests includes:

Electrical Insulation Requirements Class G

Printed: 09/11/2014 Page 9 of 24

ANSI Z89.1-2009 (Revised in 2014)

ANSI Z89.1-2009 Low Temperature

This group of tests includes:

Instructions and Marking

Force Transmission Force Transmission (LT)
Apex Penetration Apex Penetration (LT)

Electrical Insulation Requirements Class G (LT) Electrical Insulation R

Additional Type II Requirements: Impact Energy Attenuation

(LT)

Additional Type II Requirements: Chin Strap (LT)

Markings

Apex Penetration (LT)

Electrical Insulation Requirements Class E (LT)

Additional Type II Requirements: Off-center Penetration (LT)

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 1 (Spectacle)

This group of tests includes:

Impact Resistance - Plano Protector Class 1 Impact Resistance - Filter Lens Ignition Resistance - Spectacle Flame Resistance - Spectacle

Replacement Components

Residual Power Resolving Power
Prismatic Deviation Haze (Clear Lens)

Luminous Transmittance (Clear Lens)

Zero Power Filters - Size, residual power, resolving power, and

Size

prismatic deviation

Transmittance - Filter Lenses
Transmittance - Filter Lenses
Transmittance - Filter Lenses
Transmittance - Filter Lenses
Transmittance - Filter Lenses Ratio
Transmittance - Filter Lenses Ratio
Transmittance - Filter Lenses UV, VIS & IR
Transmittance - Filter Plate (Single Lens)
Permanence Filters - Dimensional Change

Permanence Filters - Heat, Moisture, UV Exposure Permanence Filters - Ignition and Flammability

Zero-power special-purpose lenses Minimum Frontal Coverage - Spectacles

Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles
Side Protection - Spectacles

Special Purpose Statement Agency Marking

User Information Transmittance Requirements - Filters

Printed: 09/11/2014 Page 10 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 2 (Goggle)

This group of tests includes:

Impact Resistance - Plano Protector Class 1

Impact Resistance - Filter Lens Ignition Resistance - Spectacle Flame Resistance - Spectacle

Size

Resolving Power Haze (Clear Lens)

Zero Power Filters - Size, residual power, resolving power, and

prismatic deviation

Transmittance - Filter Plate (Single Lens)
Transmittance - Filter Plate (Single Lens)
Transmittance - Filter Lenses UV, VIS & IR
Permanence Filters - Dimensional Change
Permanence Filters - Ignition and Flammability

Field of View - Goggles

Ventilation Opening Class 2B Goggle Optional Lift-Front Attachment - Goggles

Zero Power Filter Markings

Agency Marking

Transmittance Requirements - Filters

Impact Resistance - Plano Protector Class 2 - 7

Ignition Resistance - Goggle Flame Resistance - Goggle Replacement Components

Residual Power Prismatic Deviation

Luminous Transmittance (Clear Lens)

Transmittance - Filter Lenses

Transmittance - Filter Lenses

Transmittance - Filter Lenses Ratio

Transmittance - Filter Plate (Single Lens)

Permanence Filters - Heat, Moisture, UV Exposure

Zero-power special-purpose lenses Ventilation Opening Class 2A Goggle

Welders' and Cutters' Goggles

Markings

Special Purpose Statement

User Information

Printed: 09/11/2014 Page 11 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 3 (Welding Helmet) Base **Model Static Filter**

This group of tests includes:

Impact Resistance - Filter Lens Ignition Resistance - Welding Helmet Flame Resistance - Welding Helmet

Size

Resolving Power Haze (Clear Lens)

Transmittance - Filter Plate (Single Lens) Transmittance - Filter Plate (Single Lens)

Permanence Filters - Heat, Moisture, UV Exposure

Transmittance - Welding Protector Housing

Cover Lenses or Cover Plates Welding Helmet Suspension Welding Protective Hat or Cap Bibs for Welding Helmets

ADFs Light State Transmittance

ADFs Switching Index Zero Power Filter Markings

User Information

Ignition Resistance - Spectacle

Flame Resistance - Spectacle

Replacement Components

Residual Power

Prismatic Deviation

Transmittance - Filter Plate (Single Lens) Transmittance - Filter Lenses UV, VIS & IR Permanence Filters - Dimensional Change Permanence Filters - Ignition and Flammability

Welding Protector Window Size Welding Protector Filter/Plate Size Welding Helmet Housing Position Welding Lift-front Assembly ADFs Dark State Transmittance

ADFs Switching Index

Markings

Agency Marking

Transmittance Requirements - Filters

CAN/CSA Z94.3-07 Class 3 (Welding Helmet) Shell Test

This group of tests includes:

Impact Resistance - Plano Protector Class 1

Ignition Resistance - Spectacle Flame Resistance - Spectacle Replacement Components Welding Protector Window Size Welding Protector Filter/Plate Size Welding Helmet Housing Position Welding Lift-front Assembly

Markings

User Information

Impact Resistance - Plano Protector Class 2 - 7

Ignition Resistance - Welding Helmet Flame Resistance - Welding Helmet

Transmittance - Welding Protector Housing

Cover Lenses or Cover Plates Welding Helmet Suspension Welding Protective Hat or Cap Bibs for Welding Helmets

Agency Marking

Printed: 09/11/2014 Page 12 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 3 (Welding Helmet) Shell Headgear Test

This group of tests includes:

Impact Resistance - Plano Protector Class 1

Ignition Resistance - Welding Helmet

Welding Helmet Suspension

Markings

Impact Resistance - Plano Protector Class 2 - 7

Flame Resistance - Welding Helmet

Welding Helmet Housing Position

User Information

CAN/CSA Z94.3-07 Class 3 Static Filter

This group of tests includes:

Impact Resistance - Plano Protector Class 2 - 7

Ignition Resistance - Spectacle Flame Resistance - Spectacle Replacement Components

Residual Power
Prismatic Deviation

Transmittance - Filter Plate (Single Lens)
Transmittance - Filter Plate (Single Lens)

Permanence Filters - Heat, Moisture, UV Exposure

Transmittance - Welding Protector Housing

Cover Lenses or Cover Plates
Welding Helmet Suspension
Welding Protective Hat or Cap
ADFs Light State Transmittance

ADFs Switching Index
Zero Power Filter Markings

User Information

Impact Resistance - Filter Lens

Ignition Resistance - Welding Helmet Flame Resistance - Welding Helmet

Size

Resolving Power

Zero Power Filters - Size, residual power, resolving power, and

prismatic deviation

Transmittance - Filter Plate (Single Lens)

Permanence Filters - Dimensional Change

Permanence Filters - Ignition and Flammability

Welding Protector Window Size
Welding Protector Filter/Plate Size
Welding Helmet Housing Position
Welding Lift-front Assembly

ADFs Switching Index

Markings

Agency Marking

Transmittance Requirements - Filters

Printed: 09/11/2014 Page 13 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 3 ADF

This group of tests includes:

Impact Resistance - Filter Lens Ignition Resistance - Welding Helmet

Flame Resistance - Welding Helmet Replacement Components

Size Residual Power
Resolving Power Prismatic Deviation

Zero Power Filters - Size, residual power, resolving power, and Transmittance - Filter Plate (Single Lens)

prismatic deviation

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Plate (Single Lens)

Transmittance - Welding Protector Housing

Welding Protector Window Size

Cover Lenses or Cover Plates

Welding Protector Filter/Plate Size

Welding Helmet Suspension

Welding Protective Hat or Cap

Welding Lift-front Assembly

ADFs Dark State Transmittance

ADFs Light State Transmittance ADFs Switching Index

ADFs Switching Index
Zero Power Filter Markings
Agency Marking

User Information Transmittance

User Information Transmittance Requirements - Filters
Haze & Luminous Transmittance - Rx

CAN/CSA Z94.3-07 Class 4 (Welding Hand Shields) Base Model

This group of tests includes:

Transmittance Requirements - Filters

Impact Resistance - Filter Lens Ignition Resistance - Welding Helmet

Flame Resistance - Welding Helmet Replacement Components

Size Residual Power
Resolving Power Prismatic Deviation

Zero Power Filters - Size, residual power, resolving power, and Transmittance - Filter Plate (Single Lens) prismatic deviation

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Plate (Single Lens)

Permanence Filters - Dimensional Change Permanence Filters - Heat, Moisture, UV Exposure

Permanence Filters - Ignition and Flammability Transmittance - Welding Protector Housing

Welding Protector Window Size Cover Lenses or Cover Plates
Welding Protector Filter/Plate Size Welding Protective Hat or Cap
Markings Zero Power Filter Markings

Agency Marking User Information

Printed: 09/11/2014 Page 14 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Class 6 (Faceshield)

This group of tests includes:

Impact Resistance - Plano Protector Class 1

Impact Resistance - Filter Lens Ignition Resistance - Spectacle Flame Resistance - Spectacle

Size

Resolving Power Haze (Clear Lens)

Zero Power Filters - Size, residual power, resolving power, and

prismatic deviation

Transmittance - Filter Lenses

Transmittance - Filter Lenses UV, VIS & IR

Permanence Filters - Heat, Moisture, UV Exposure

Transmittance - Welding Protector Housing

Welding Protector Filter/Plate Size

Faceshield Window Size

Faceshield Special Purpose Windows

Faceshield Chin Protection Zero Power Filter Markings

Agency Marking

Transmittance Requirements - Filters

Impact Resistance - Plano Protector Class 2 - 7

Ignition Resistance - Face shields Flame Resistance - Face shield Replacement Components

Residual Power

Prismatic Deviation

Luminous Transmittance (Clear Lens)

Transmittance - Filter Lenses

Transmittance - Filter Lenses Ratio

Permanence Filters - Dimensional Change

Permanence Filters - Ignition and Flammability

Welding Protector Window Size Welding Lift-front Assembly Faceshield Window Contour

Markings

Special Purpose Statement

Faceshield Crown Protection

User Information

Printed: 09/11/2014 Page 15 of 24

CAN/CSA Z94.3-07 (Reaffirmed 2012)

CAN/CSA Z94.3-07 Individual Tests

This group of tests includes:

Impact Resistance - Plano Protector Class 1 Impact Resistance - Plano Protector Class 2 - 7

Ignition Resistance - Face shields Ignition Resistance - Goggle

Ignition Resistance - Spectacle Ignition Resistance - Welding Helmet

Flame Resistance - Face shield Flame Resistance - Goggle Flame Resistance - Welding Helmet

Residual Power Resolving Power
Prismatic Deviation Haze (Clear Lens)

Luminous Transmittance (Clear Lens)

Transmittance - Filter Lenses

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Lenses Ratio

Transmittance - Filter Lenses UV, VIS & IR Transmittance - Filter Plate (Single Lens)

Permanence Filters - Dimensional Change Permanence Filters - Heat, Moisture, UV Exposure

Permanence Filters - Ignition and Flammability Minimum Frontal Coverage - Spectacles

Side Protection - SpectaclesSide Protection - Spectacles

Field of View - Goggles Ventilation Opening Class 2A Goggle

Ventilation Opening Class 2B Goggle Optional Lift-Front Attachment - Goggles

Transmittance - Welding Protector Housing Cover Lenses or Cover Plates

Welding Lift-front Assembly Faceshield Chin Protection

Markings Zero Power Filter Markings

Special Purpose StatementAgency MarkingUser InformationTransmittance Requirements - FiltersFrame Criteria - RxUltraviolet transmittance - Sunglasses

CAN/CSA Z94.3-07 Optical Properties

This group of tests includes:

Residual Power Resolving Power
Prismatic Deviation Haze (Clear Lens)

Luminous Transmittance (Clear Lens)

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Plate (Single Lens)

Transmittance - Filter Lenses UV, VIS & IR

Printed: 09/11/2014 Page 16 of 24

CAN/CSA Z94.1-05

CAN/CSA Z94.1-05 Type 1, Class C

This group of tests includes:

Projections Projections

Accessories and fittings
Accessories and fittings
Accessories and fittings

Type 1 Impact attenuation - Forward wearing Type 1 Penetration resistance - Forward wearing

Passive retention Shell flammability resistance

Liner Ignition Resistance Markings and labels

Instructions for use

CAN/CSA Z94.1-05 Type 1, Class E

This group of tests includes:

Design and Construction General

MaterialsPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder Description

Projections Projections

Projections Accessories and fittings
Accessories and fittings
Accessories and fittings
Accessories and fittings

Dielectric strength test Class E headwear

Dielectric strength Class E Impact attenuation test

Requirement for Type 1 Headwear Type 1 Impact attenuation - Forward wearing

Penetration Test Requirement for Type 1 Headwear

Type 1 Penetration resistance - Forward wearing Passive retention test

Passive retention Shell flammability resistance test

Shell flammability resistance Liner ignition resistance test

Liner Ignition Resistance Markings and labels
Instructions for use

Printed: 09/11/2014 Page 17 of 24

CAN/CSA Z94.1-05

CAN/CSA Z94.1-05 Type 1, Class G

This group of tests includes:

Design and Construction General

MaterialsPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder Description

Projections Projections

Projections Accessories and fittings
Dielectric strength test
Dielectric strength Class G
Impact attenuation test

Requirement for Type 1 Headwear Type 1 Impact attenuation - Forward wearing

Penetration Test Requirement for Type 1 Headwear

Type 1 Penetration resistance - Forward wearing Passive retention test

Passive retention Shell flammability resistance test
Shell flammability resistance Liner ignition resistance test

Liner Ignition Resistance Markings and labels

Instructions for use

CAN/CSA Z94.1-05 Type 1 Reverse Wearing

This group of tests includes:

Impact attenuation test Requirement for Type 1 Headwear

Type 1 Impact attenuation - Reverse wearing Penetration Test

Requirement for Type 1 Headwear Type 1 Penetration resistance - Reverse wearing

Passive retention test Passive retention

CAN/CSA Z94.1-05 Type 1 Reverse Wearing Submitted w/Base Model

This group of tests includes:

Type 1 Impact attenuation - Reverse wearing

Type 1 Penetration resistance - Reverse wearing

Passive retention

Printed: 09/11/2014 Page 18 of 24

CAN/CSA Z94.1-05

CAN/CSA Z94.1-05 Type 2, Class C

This group of tests includes:

Projections Projections

Accessories and fittings

Accessories and fittings

Accessories and fittings

REPORT

Type 2 Penetration resistance - Forward wearing Passive retention

Shell flammability resistance Liner Ignition Resistance

Markings and labels Instructions for use

CAN/CSA Z94.1-05 Type 2, Class E

This group of tests includes:

Design and Construction General

MaterialsPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder Description

Projections Projections

Projections Accessories and fittings
Dielectric strength test
Dielectric strength Class E
Impact attenuation test

Type 2 Impact Attenuation - Forward wearing Type 2 Penetration resistance - Forward wearing

Passive retention test Passive retention

Shell flammability resistance test

Liner ignition resistance test

Markings and labels

Shell flammability resistance

Liner Ignition Resistance

Instructions for use

Printed: 09/11/2014 Page 19 of 24

CAN/CSA Z94.1-05

CAN/CSA Z94.1-05 Type 2, Class G

This group of tests includes:

Design and Construction General

MaterialsPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder DescriptionPlaceholder Description

Projections Projections

Projections Accessories and fittings
Dielectric strength test
Dielectric strength Class G
Impact attenuation test

Type 2 Impact Attenuation - Forward wearing

Type 2 Penetration resistance - Forward wearing

Passive retention test Passive retention

Shell flammability resistance test

Liner ignition resistance test

Markings and labels

Shell flammability resistance

Liner Ignition Resistance

Instructions for use

CSA Z94.1-05 Type 2 Reverse Wearing

This group of tests includes:

Impact attenuation test Requirement for Type 1 Headwear

Type 2 Impact Attenuation - Reverse wearing Penetration Test

Requirement for Type 2 Headwear Type 2 Penetration resistance - Reverse wearing

Passive retention test Passive retention

CAN/CSA Z94.1-05 Type 2 Reverse Wearing Submitted w/ Base Model

This group of tests includes:

Type 2 Impact Attenuation - Reverse wearing

Type 2 Penetration resistance - Reverse wearing

Passive retention

Printed: 09/11/2014 Page 20 of 24

EN 166:2001

EN 166:2001 Basic Requirements

housings for oculars with filtering action

This group of tests includes:

General Construction Materials
Headbands Field of Vision

Spherical, Astigmatic, and Prismatic Powers - Unmounted oculars Spherical, Astigmatic, and Prismatic Powers - Mounted oculars

covering one eye and unmounted oculars covering both eyes

Cover plates Transmittance - Oculars without filtering action

Transmittance - Oculars with filtering action (filters) and Variations in Transmittance - Oculars without corrective effect

Diffusion of Light Quality of Material and Surface

Minimum Robustness Increased Robustness

Increased Robustness - Complete eye-protectors and frames Stability at an Elevated Temperature

Resistance to Ultraviolet Radiation (oculars only)

Resistance to Ultraviolet Radiation (oculars only)

Resistance to Corrosion Resistance to Ignition

Markings - General Ocular - Scale Number

Ocular - Identification of Manufacturer Ocular - Optical Class

Ocular - Mechanical Strength Ocular - Resistance to Short Circuit Electric Arc

Ocular - Non-adherence to Molten Metals & Resistance to

Ocular - Resistance to surface damage by fine particles

Penetration of Hot Solids

Ocular - Resistance to fogging of oculars

Ocular - Original/Replacement Ocular

Ocular - Resistance to High Speed Particles at Extremes of Ocular - Marking of Laminated Oculars

Temperature

Frames - Identification of Manufacturer

Frames - Number of the Standard

Frames - Field of Use Frames - Increased Robustness and Resistance to High Speed

Particles

Frames - Resistance to High Speed Particles at Extremes of Frames Designed to Fit a Small Head Temperature

Frames - Highest Ocular Scale Number

Marking of Eye-protectors Where the Frame & Ocular Form a

Single Unit

Information supplied by the manufacturer

Printed: 09/11/2014 Page 21 of 24

EN 166:2001

EN 166:2001 Individual Tests

housings for oculars with filtering action

This group of tests includes:

General Construction Materials
Headbands Field of Vision

Spherical, Astigmatic, and Prismatic Powers - Mounted oculars Transmittance - Oculars without filtering action and unmounted oculars covering both eyes

Transmittance - Oculars with filtering action (filters) and Diffusion of Light

Quality of Material and Surface Minimum Robustness

Increased Robustness - Complete eye-protectors and frames

Stability at an Elevated Temperature Resistance to Ultraviolet Radiation (oculars only)

Resistance to Ultraviolet Radiation (oculars only)

Resistance to Ultraviolet Radiation (oculars only)

Resistance to Corrosion

Protection Against High Speed Particles

Protection Against Droplets and Splashes of Liquids Protection Against Large Dust Particles

Lateral Protection Resistance to surface damage by fine particles

Resistance to fogging of oculars Protection against high speed particles at extremes of

temperature

Markings - General Ocular - Scale Number
Ocular - Identification of Manufacturer Ocular - Optical Class

Ocular - Mechanical Strength Ocular - Resistance to Short Circuit Electric Arc

Ocular - Non-adherence to Molten Metals & Resistance to

Ocular - Resistance to surface damage by fine particles

Penetration of Hot Solids
Ocular - Resistance to fogging of oculars
Ocular - Original/Replacement Ocular

Ocular - Resistance to High Speed Particles at Extremes of Ocular - Marking of Laminated Oculars

Frames - Identification of Manufacturer Frames - Number of the Standard

Frames - Field of Use Frames - Increased Robustness and Resistance to High Speed

Particles

Frames - Resistance to High Speed Particles at Extremes of Frames Designed to Fit a Small Head Temperature

Frames - Highest Ocular Scale Number Marking of Eye-protectors Where the Frame & Ocular Form a

Single Unit

Information supplied by the manufacturer

Temperature

Printed: 09/11/2014 Page 22 of 24

Military Standards

MIL-PRF-32432(GL)

MIL-PRF-32432(GL) Abrasion

This group of tests includes:

Haze/Resistance to scratching/Abrasion

MIL-PRF-32432(GL) Adhesion

This group of tests includes:

Humidity/Adhesion

MIL-PRF-32432(GL) Ballistic Fragmentation

This group of tests includes:

Ballistic fragmentation protection Class 1 spectacles

Ballistic fragmentation protection Class 1a spectacles

Ballistic fragmentation protection Class 2a and Class 3a goggles

Ballistic fragmentation protection Class 1 spectacles - Both Eyes Ballistic fragmentation protection Class 2 and Class 3 goggles Universal Prescription Lens Carrier (UPLC) adaptors Class 1a spectacles

Universal Prescription Lens Carrier (UPLC) adaptors Class 2a and Class 3a goggles

MIL-PRF-32432(GL) Chemical Resistance

This group of tests includes:

Chemical resistance

MIL-PRF-32432(GL) Chromaticity

This group of tests includes:

Chromaticity (Sunglass Lens Only)

MIL-PRF-32432(GL) Neutrality

This group of tests includes:

Neutrality (Sunglass Lens Only)

MIL-PRF-32432(GL) Humidity

This group of tests includes:

Humidity/Adhesion

Printed: 09/11/2014 Page 23 of 24

ASTM Standards

ASTM F 659

ASTM F 659 Individual Tests

This group of tests includes:

Resistance to Fogging

Printed: 09/11/2014 Page 24 of 24